



**SAFETY DATA SHEET**  
**ABSORBENT PAPER POINTS**  
**DPDDFS-047**

**1. IDENTIFICATION OF PRODUCT**

- 1.1 Chemical Name: Not applicable.
- 1.2 Generic Name: Absorbent paper points.
- 1.3 Synonymes : Paper Points, Paper Cones, Absorbent Paper Cones
- 1.4 Recommended use and restrictions of the product use: The product is used in endodontic procedures. Only for dental use by trained professional personnel.
- 1.5 Emergency number: In emergency cases communicating with the Safety and Health at work Coordination at the following numbers (57 4) 403 87 60, ext. 1304, 1306.

**2. IDENTIFICATIONS OF HAZARDS**

2.1 GHS Classification:

Health	Environment	Physics
It does not classified	It does not classified	It does not classified

2.2 GHS Labelled:

Symbol	Warning word	Hazard indication
N.A.	N.A.	N.A.

- 2.3 Caution indications: Preserves the product away from ignition sources.
- 2.4 Appearance in case of emergency: Generation of smoke by combustion.
- 2.5 Potential adverse effects to health: None.
- 2.6 NFPA: 0-1-0
- 2.7 OSHA Regulatory state: Not available.

**3. INFORMATION OF COMPOSITION**

HAZARDOUS COMPONENT		
Common name	Concentration	CAS Number
None	None	None

NON-HAZARDOUS COMPONENTS		
Common name	Concentration	CAS Number
Filter paper	Industrial Secret	Not available
Natural Gum	Industrial Secret	1138-66-2
Preservative	Industrial Secret	532-32-1

Creation date		Elaborated by:		Revised by:	
2011-03-07		Technical Analyst of Medical Devices		Technical Coordinator of Medical Devices	
Class	Page	Approved by:		Update:	Version
E	1 of 5	Technical Director of Medical Devices		2019-05-01	04

REFERENCE DOCUMENT: DPDDPR-003

UPDATE: 2017-11-23

VERSION: 05



**SAFETY DATA SHEET**  
**ABSORBENT PAPER POINTS**  
**DPDDFS-047**

**4. FIRST AID MEASURES**

4.1 Emergency procedures and first aid in case of:

- Inhalation: No evidence related.
- Eye Contact: No evidence related.
- Skin Contact: No evidence related.
- Swallowing: No evidence related.

4.2 Symptoms and/or more important effects (acute and/or delayed): Not applicable.

4.3 Antidote: Not applicable.

4.4 Information for doctors: Not applicable.

**5. FIRE FIGHTING MEASURES**

5.1 Inflammability properties: The product is stable at normal conditions of manipulation and storage.

5.2 Suitable extinguishing media: Can be used fire extinguishers such as CO<sub>2</sub>, ABC or Solkaflam.

5.3 Unsuitable extinguishing media: Not applicable.

5.4 Fire fighting instructions: Use autonomous breathing equipment and safety clothes.

5.5 Flammability of Product: This product is stable under normal handling and storage conditions.

5.6 Firefighters protection: CO<sub>2</sub> emissions.

5.7 Protection equipment and Firefighters protection equipment: Use mask for breathing protection, to evacuate the area and attack the fire since a safety distance using a fire extinguisher as CO<sub>2</sub>, ABC or Solkaflam.

**6. ACCIDENTAL RELEASE MEASURES**

6.1 Techniques, procedures, materials and protection equipment in case of:

- Small spills: Pick it up manually.
- Great spills: Pick it up manually.

6.2 Environment cautions: None.

6.3 Other considerations: None.

Creation date		Elaborated by:	Revised by:	
2011-03-07		Technical Analyst of Medical Devices	Technical Coordinator of Medical Devices	
Class	Page	Approved by:	Update:	Version
E	2 of 5	Technical Director of Medical Devices	2019-05-01	04

REFERENCE DOCUMENT: DPDDPR-003

UPDATE: 2017-11-23

VERSION: 05



**SAFETY DATA SHEET  
ABSORBENT PAPER POINTS  
DPDDFS-047**

**7. HANDLING AND STORAGE OF THE PROUCT**

- 7.1 Handling: It does not require special handling conditions.  
7.2 Storage: Storage this product in a cool and dry area, away from heat and moisture sources.

**8. EXPOSURE CONTROLS AND PERSONAL PROTECTION**

- 8.1 Conditions to control the exposition: It does not require specific controls.  
8.2 Engineering controls: It does not require engineering controls.  
8.3 Personal protective equipment: Use disposable gloves during the clinical application of the product.  
8.4 Exposure parameters: No applicable.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

- Form or Appearance: Thin white points.
- Odor: Odorless.
- Physical Condition: Solid.
- pH: Not applicable.
- Vapor Pressure: Not applicable.
- Vapor Density: Not applicable.
- Boiling Point: Not applicable.
- Melting Point: Not applicable.
- Solubility in Water: Not soluble.
- Specific Gravity: 0.65g/cm<sup>3</sup>, approximately.
- Size of Product Particles: 28 mm length, approximately.
- Flashpoint: 233°C (451.4°F), approximately.

**10. STABILITY AND REACTIVITY**

- 10.1 Chemical Stability: This product is stable under normal handling and storage conditions.  
10.2 Possibility of dangerous reactions: None.  
10.3 Conditions to Avoid: Avoid the moisture and the excessive heat.  
10.4 Incompatibility with other materials: None.

<b>Creation date</b>		<b>Elaborated by:</b>		<b>Revised by:</b>	
2011-03-07		Technical Analyst of Medical Devices		Technical Coordinator of Medical Devices	
<b>Class</b>	<b>Page</b>	<b>Approved by:</b>		<b>Update:</b>	<b>Version</b>
E	3 of 5	Technical Director of Medical Devices		2019-05-01	04



Address: Cra. 53 N° 50-09  
Guarne (Antioquia) COLOMBIA.  
Telephone: (574) 550 00 00  
Fax: (574) 551 31 34

**SAFETY DATA SHEET  
ABSORBENT PAPER POINTS  
DPDDFS-047**

- 10.5 Dangerous Breaking down Products: None.
- 10.6 Dangerous Polymerization: Not applicable.

**11. TOXICOLOGICAL INFORMATION**

- 11.1 Possible ways of exposition: Respiratory.
- 11.2 Acute Toxicity: There are not severe implications for health.
- 11.3 Chronic Toxicity There are not severe implications for health.
- 11.4 Additional information: None.

**12. ECOLOGICAL INFORMATION**

- 12.1 Eco-toxicity: Not available.
- 12.2 Persistency and degradability: The product is degradable.
- 12.3 Bioaccumulation potential: Not available.
- 12.4 Mobility in soil: Not available.
- 12.5 Other adverse effects: It does not have.

**13. DISPOSAL CONSIDERATIONS**

Dispose it as non-hazardous solid waste, do not throw this waste into waterways, observe the local in force regulations.

WARNING: ¡Laws, regulations and local restrictions can change or be reinterpreted, they can be different from the ones being into effect in Colombia, for that reason the considerations about waste disposal of the product and its packing may differ regarding to the ones appearing in this document!

**14. TRANSPORT INFORMATION**

- 14.1 Hazardous material: None.
- 14.2 Class of Risk: None.
- 14.3 UN Number: Not available.
- 14.4 IATA Classification : Non-hazardous material.
- 14.5 Packaging group: Group III, low risk (non-hazardous merchandise).
- 14.6 Marine pollutant (Yes/No): No.

Creation date		Elaborated by:	Revised by:	
2011-03-07		Technical Analyst of Medical Devices	Technical Coordinator of Medical Devices	
Class	Page	Approved by:	Update:	Version
E	4 of 5	Technical Director of Medical Devices	2019-05-01	04

REFERENCE DOCUMENT: DPDDPR-003  
UPDATE: 2017-11-23  
VERSION: 05



Address: Cra. 53 N° 50-09  
Guarne (Antioquia) COLOMBIA.  
Telephone: (574) 550 00 00  
Fax: (574) 551 31 34

**SAFETY DATA SHEET  
ABSORBENT PAPER POINTS  
DPDDFS-047**

**15. INFORMATION ABOUT REGULATIONS**

- 15.1 In Colombia: Not applicable.
- 15.2 International: In accordance with the EEC regulations. According to the EC lists and the EEC/Regulation guidelines about hazardous substances, the product does not require labelling.

**16. IMPORTANT ADDITIONAL INFORMATION**

The information contained in this document is based on our current knowledge and is given in good faith, but is not given an assurance express or implicit; neither is assumed any responsibility for the incorrect use of the product. This document was prepared according to:

- GHS (Globally Harmonized System of Classification and Labelling of Chemicals).
- NTC 4435:2010 (Colombian Technical Norm. Merchandise Transport. Safety Data Sheets for materials. Preparation).

<b>Creation date</b>		<b>Elaborated by:</b>		<b>Revised by:</b>	
2011-03-07		Technical Analyst of Medical Devices		Technical Coordinator of Medical Devices	
<b>Class</b>	<b>Page</b>	<b>Approved by:</b>		<b>Update:</b>	<b>Version</b>
E	5 of 5	Technical Director of Medical Devices		2019-05-01	04

REFERENCE DOCUMENT: DPDDPR-003  
UPDATE: 2017-11-23  
VERSION: 05